

Maharashtra University of Health Sciences, Nashik

Following documents need to available on website

Trust Deed/By laws/Registration Certificate (Trust/Hospital (Bombay Nursing Act))

Faculty: NURSING

Name of College/Institute: VASANTRAO NAIK INSTITUTE OF NURSING, JALNA

Name of Trust/ Society	
Registration Certificate To be uploaded on website clear and original copy	Trust/Society:-To be uploaded on website
	Trust Deed/Bylaws:-To be uploaded on website
	Hospital Ownership Documents:-
	Hospital (Bombay Nursing Act):-To be uploaded on Website
	MPCB Certificate of Parent Hospital :-To be uploaded On website
Hospital Type as Per Bombay Nursing Act :- YES	
Hospital (Bombay Nursing Act) issuing Authority:- CIVIL HOSPITAL, JALNA	
Hospital Bed as per Certificate:- 150	
Name of the College/Institute (As per First Affiliation letter)	: VASANTRAO NAIK INSTITUTE OF NURSING, JALNA
Address	: BEHIND NUTANT VIDHYALAYA CAMPUS, OLD JALNA, DIST JALNA -431203
Email ID	: vnspmj_ion@rediffmail.com
Telephone/Mobile No.(s)	: 07588900088
Website	: vasanatraonaikcollegeofnursingjalna.in
College Code	: 154121

Here by I declare all relevant document uploaded are clear and visible on website & are true as per my best knowledge

Any Other, Please Specify:-

Date:- 20/2/2026
Chairman of LIC



Dean/Principal Stamp & Signature
PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



No

~~01101~~

CERTIFICATE OF REGISTRATION

THE SOCIETIES REGISTRATION ACT, 1860

(ACT XXI OF 1860)

Registration No. MAH/9/85 (Jalna)

IT IS HEREBY CERTIFIED THAT... Vasant Rao Naik
Shikshan Prasarak Mandal
Jalna

as this day been duly registered under the Societies Registration Act XXI of 1860.

under my hand this

24 th

day of

April

1985



B. B. Bandale
Assistant Registrar of Societies,
Jalna Sub-Region Jalna region,
Jalna

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203




नोंदणीचे प्रमाणपत्र नं. २७/८५

सादर प्रमाणपत्र देण्यात येते की, खाली वर्णन केलेली सार्वजनिक विश्वस्तव्यवस्था ही आज, मुंबई
वैयक्तिक विश्वस्तव्यवस्था अधिनियम, १९५० (सन १९५० च्या मुंबई अधिनियम क्रमांक २९) या
अन्वये..... संघटनिक स्वरूपात मुंबई येथील सार्वजनिक विश्वस्तव्यवस्था
पालना उपविभाग, पालना
द्वारे कार्यरत योज्य रीतीने नोंदण्यात आली आहे.

सार्वजनिक विश्वस्तव्यवस्थेचे नाव..... दासंतराव नाईक शिक्षण
प्रसारक मंडळ, पालना
वैयक्तिक विश्वस्तव्यवस्थांच्या नोंदणी पुस्तकातील क्रमांक..... २६० (पालना)
डॉ. शंकर रघुनाथ शर्मा, पालना यांचा प्रमाणपत्र दिले.

वाज्य दिनांक..... ३०.१०.१९८५ रोजी माझ्या सहीनिशी दिले.



सही.....

हस्ता.....

३०.१०.८५
पालना उपविभाग, पालना

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203
PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



VNSPM MANDAL'S

VASNATRAO NAIK COLLEGE OF NURSING JALNA

Clinical Facilities

Name of Hospital	No. of Sanction Beds	Occupancy on day of Inspection	Average Occupancy / Month	No of Nsg. School /Colleges Affiliated	Distance from College	MOU Yes/ No
Deepak Hospital Jalna (Parent Hospital)	150	137	87 %	-	2 Kms	YES
Jalna Critical Care	90	79	88 %	-	8 Kms	YES
Niramaya Multispecialty Hospital	50	42	89%	-	4 Kms	YES
Venkateshwara Hospital	30	23	91%	-	2.5 Kms	YES
Navjeevan Multispecialty Hospital	75	61	88%	-	2 Kms	YES
Manas Hospital Jalna	50	44	89%	-	8.5 Kms	YES

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



Memorandum of Understanding

This Memorandum of Understanding is made on this 19.05.2022

Between

Vasantrao Naik Shikshan Prasarak Mandal's (Reg.No: MAH/9/85 Jalna)
 Vasantrao Naik Institute of Nursing,
 Behind Nutan Vidhyalaya Campus, Near Tehsil Office,
 Old Jalna, Jalna (Dist) – 431 213.

Hereafter called as Party No: 1 executed this agreement through its President Shri. Rajendra Raosaheb Rakh, 57 Years residing at Vrundawan Colony, Old Jalna, Jalna (Dist).

And,
 Deepak Hospital
 Town Hall Road, Old Jalna,
 Jalna (Dist)

PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203



Hereafter called as Party No: 1 executed this agreement through its President Dr. Sanjay Rakh, residing at Jalna, Jalna.

Whereas the Shri. Rajendra Raosaheb Rakh is presently engaged in A.N.M, G.N.M, and basic B.Sc., Nursing education at Behind Nutan Vidhyalaya Campus, Near Old Tehsil Office, Old Jalna, Jalna (Dist). The Vasantao Naik Shikshan Prasarak Mandal's thought of establishing Nursing Colleges of Vasantao Naik Institute of P.B.B.Sc., Nursing College.



Party No:2 is engaged in the line of prestigious and quality oriented hospital activities in Jalna and around, and provide its various medical facilities to the public and having 150 bedded hospital at Jalna. It is 2.0 kms from the proposed college.

NOW THEREFORE BOTH the parties 1 and 2 agree for:

1. THAT Party No: 1 is applying for Post Basic B.Sc., Nursing under affiliation of Maharashtra University of Health Sciences, Nashik.



THAT Party No: 1 has requested to Party No; 2 for providing their hospital for clinical experience and practical training of Nursing Students.

THAT Party No: 2 is having 150 bedded hospital with more than 95% Occupancy.

THAT Party No: 2 has agreed to provide the facilities for a period of 5 Years w.e.f 19/05/2022 onwards which can be renewed after mutual agreement.

THAT Party No; 1 and 2 both has agreed mutually for financial implications/complications/ disputes arising if any between the period of agreement in that case, Maharashtra University of Health Sciences, Nashik shall not responsible in any case to conquer the same

Date: 19/05/2022

Place: Jalna

Party No: 1

Signature *Rakh*

Shri. Rajendra Raosaheb Rakh
Vrundawan Colony,
Old Jalna, Jalna (Dist).

Party No: 2

Signature *Rakh*

Dr. Sanjay Rakh
Town Hall Road, Old Jalna

ATTESTED BEFORE ME

Dilip S. Bhandarge

DILIP. S. BHANDARGE PRINCIPAL

B.Sc. VASANTAO NAIK INSTITUTE OF NURSING

ADVOCATE & NOTARY

JALNA-431 203.

DIST. JALNA REG. NO. 7122

GOVERNMENT OF INDIA

WALA GALLI CORNER, COURT ROAD, JALNA

PRINCIPAL
VASANTAO NAIK INSTITUTE OF NURSING
JALNA-431 203



सामान्य रुग्णालय जालना.

CIVIL HOSPITAL JALNA

१९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिष्ट्रेशन अॅक्टच्या कलम ५ अन्वये
दिलेले रजिष्ट्रेशन सर्टिफिकेट

Certificate of Registration Under Section 5 of the Bombay Nursing Homes
Registration Act, 1949 (नियम ५ अन्वये) (Under Rule 5)

क्रमांक (No) 31

दि बॉम्बे नर्सिंग होम्स रजिष्ट्रेशन अॅक्ट १९४९ अन्वये श्री/श्रीमती/डॉ. संजय शंकरराव

राव, " दिपक हॉस्पिटल (अ युनिट डॉन दिपक हेल्थ
अँड वेलनेस लि.) शकन हॉम जवळ, जुनी जालना वॉम्बे
जालना. शेंथील नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून

सदरचे नर्सिंग होम व मॅटर्निटी हेम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati/Dr. Sanjay Shankarrao Rakh
Deepak Hospital has been registered under the
(A Unit of Deepak Health & Wellness)
Bombay Nursing Homes Registration Act, 1949 In respect of Town Hall Road

Situated at Old Jalna.

and has been authorised to carry on the said Nursing Home.

रजिष्ट्रेशन क्र. : 31/CHH/2006 प्रसूतीसाठी 30 कॉट्स

Registration No. — Maternity — Cots

रजिष्ट्रेशन दि. : 09/11/2006 इतर रुग्णांसाठी 120 कॉट्स

Registration Date. — Other — Cots

ठिकाण Place : Jalna.

सर्टिफिकेट दिल्याचा दिनांक 27 SEP 2024 (04/04/2024)

सदरचे सर्टिफिकेट दिनांक ३१ मार्च 2027 पर्यंत कार्यवाहीत राहील.

This certificate shall be valid upto 31st March 2027

ATTESTED BY

PRINCIPAL

Dr. Rajendra Patil
Civil Hospital Jalna

VASANTRAO DINKU INSTITUTE OF NURSING
JALNA-431 203

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/L.S.I

Date: 22/05/2024

No:- Format1.0/PSO/UAN No.0000190170/CO/2405001970

To,
Deepak Hospital (A unit of Deepak health & wellness
Ltd.)
Survey no. is 8793, Town hall road, Jalna - 431203.
Email:deepakhospitaljalna@gmail.com
Contact No.:9370289332



Combined Renewal of consent to operate with reduced in Beds from 150 Beds to 95 Beds and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/CC/UAN No.0000110812/CR/2303002003 dtd. 27.03.2023 valid till 30.09.2023.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 11/12/2023
 3. This office e-mail on 15/03/2024.
 4. SCN for refusal issued on 12/04/2024.
 5. Document uploaded on 18/04/2024, 23/04/2024 & 26/04/2024.
 6. Penal Fee paid on 16/01/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant of Combined Renewal of consent to operate with reduced in Beds from 150 Beds to 95 Beds and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-09-2023 To 30-09-2027**
2. The capital investment of the HCF is **₹4971.81** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3292.68 M² with Built-up area 4656.41 M².

PRINCIPAL
VASANTRAO NAIR INSTITUTE OF NURSING
JALNA-431 203



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

- Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
- Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
- Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M, & TM) Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

General Information

UAN No:

MPCB-CONSENT-0000263453

Application submitted on:

10-10-2025

Industry Information

Industry Type:

R30 Health-care Establishment (as defined in BMW Rules)

Category:

Red

Scale:

S.S.I

Consent To:

Operate (Plain Renewal)

Submit to:

SRO - Jalna

Consent to Establish Details

Consent to Establish No.

Consent to Establish date

01-01-1970

Consent to Establish Valid Upto

01-01-1970

Previous Consent No.

Format L.0/PSO/UAN

No.0000190170/CO/2405001970

Previous Consent date

22-05-2024

Previous Consent Valid Upto

30-09-2027

Particulars of Applicant (Owner/Occupier/Any other Authorised Person)

First Name **Father / Husband Name**

Mr. Sanjay Shankarrao

Last Name

Rakh

Designation

Doctor

Mobile No **Telephone/Fax**

9370289332 9370289332

Email

deepakhospitaljalna@gmail.com

Aadhar No

306552680872

PAN No **Address**

ABBPR3659L Town Hall Road, Deepak Hospital Jalna

Pin Code

431203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

Deepak Hospital A unit of Deepak health & wellness ltd

b) Address for Correspondance

Pin Code

431203

Survey/Gut No.

CTS No. 8790, 8793, 9136, 9145/1, 9145/2, 9137, 9138

Area/Locality

Jalna

District

Jalna

Name of premises /Building

Town Hall Road

Email

deepakhospitaljalna@gmail.com

City/Town

Jalna

Road/Street

Town Hall Road

Website URL

NA

c) Onwership of Facility

Private (Ownership under trust)

Name of the Trust / Company

A unit of Deepak health & wellness ltd

Land Ownership

Self Owned

d) Month and year of commissioning of the HCF

09/11/2006

e) Area of the Facility / Hospital

i) Total plot area (in square meter)

4761.29

ii) Built up area (in square meter)

75766.4

iii) Open Plot Area (Sq.Mtr)

1150.00

f) Enter Latitude and Longitude of site (In degrees)

Latitude (In degrees)

75

Longitude (In degrees)

19

g) Does HCF have Operation Theatre

No

h) Does HCF have Laundry facility in premises

No

i) Does HCF have Canteen/Cafeteria facility in premises

No

j) Does HCF have Hostel/Residential quarters in premises

No

3. BMW Authorization Details

a) Type of health treatment system

Medicine

b) Bombay Nursing Home Registration Details

Total number of Beds

150

BNH Registration Number

31CHI2006

Valid Upto

31-03-2027

First Issued Date

09-11-2006

Certificate issuing Authority

Civil Surgeon

c) Diagnostic and Pharma Facilities available in Premises

Pathology Lab

Yes

Average Samples/day

10

Blood Bank

No

d) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose

VASANTRAO NAWI INSTITUTE OF NURSING

PRINCIPAL

JALNA

No

Category wise Bio-Medical Waste Collected ,Treated,Disposed			
Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/M)
1	Yellow	a) Human Anatomical waste	180.00
		b) Animal Anatomical Waste	0.00
		c) Soiled Waste	285.00
		d) Expired or Discarded Medicines	84.00
		e) Chemical Waste	0.00
		f) Chemical Liquid Waste	0.00
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	160.00
		h) Microbiology Biotechnology and other clinical laboratory waste	200.00
2	Red	Contaminated waste (Recyclable)	354.00
3	White (Translucent)	Waste sharps including Metals	205.00
	Blue	a. Glassware	57.00
b. Metallic body implants		14.00	

Do you Have Equipment Installed for Pretreatment of Yellow (g), (h) Category Waste

No

Whether you have establish a Bar-Code system for Bag or Containers containing Bio-Medical waste

No

Common Facility Membership Details (CTF)

CTF Name

M/s. Atul Environment Services, Jalna

Membership Number

JLHP0021

Issued Date

19-11-2024

Consent Details

a) Sources of Water

i) Surface Water Yes

Name of the water supply Water Consumption Quantity (CMD)

Municipal Corporation Jalna 50

ii) Ground Water No

iii) Tanker Water No

b) Water Consumption Details

Raw Water (CMD) **Recycle Water (CMD)**

50 0

Total Water Quantity Requirement (CMD)

50.00

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Disposal
Domestic Pourpose	32	26	On Land For Gardening
Pathology Laboratory, Floor washing, Operation Theater	0	0	On Land For Gardening
Laundry	0	0	NA
Industrial Cooling, spraying in mine pits or boiler feed	18	16	On Land For Gardening

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

Total	50.00	42.00	
-------	-------	-------	--

d) Waste Water Treatment

Have you installed STP or ETP

Yes

1. Sewage Treatment Plant: Yes

2. Effluent Treatment Plant: No

3. Combined Treatment Plant: No

Sewage Treatment Plant

Capacity(CMD)

50.00

Preliminary: Yes Preliminary Treatment: Bar Screens

Primary: Yes Primary Treatment:

Secondary: Yes Secondary Treatment: Anaerobic Treatment System

Tertiary: Yes Tertiary Treatment: Sand & Carbon Filter

Advance: No Advance Treatment:

e) Other waste generation details

1) Municipal Solid Waste

a) Biodegradable Waste(kg/day)

0.00

b) Recyclable Waste(kg/day)

0.00

c) Domestic Hazardous Waste(kg/day)

0.00

Air Pollution

Whether D.G. Set Installed

Yes

Capacity(KVA)	Make	Fuel Used	Fuel QTY	Unit	Stack Height in meter	Acoustic Enclosure for noise control
250	Kirloskar	Diesel	0.21	Ltr/H	3.10	NO
65	Kirloskar	Diesel	0.50	Ltr/H	3.10	NO

Do you have Boiler Installed

No

Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder/etc. As per Central Board. Publication "Emission regulations Part-III" (December, 1985)

Port hole

No

Platform

No

Ladder

No

Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
		NA	NA	NA
Particulate matter	50 mg/Nm ³	0	0	0
Nitrogen oxides	400 mg/Nm ³	0	0	0
HCL	50 mg/Nm ³	0	0	0
Total Dioxins and Furans	0.1 ng TEQ/Nm ³ (at 11% O ₂)	0	0	0

PRINCIPAL
VASANTRAO HAIK INSTITUTE OF NURSING
JALNA-431 203

Hg and its compounds	0.05 mg/Nm ³	0	0	0
----------------------	-------------------------	---	---	---

Whether you have provided Online Continuous Emission Monitoring Systems (OCEMS)

No

Quantity of ash generated from Boiler (Tonnes/ month):

Mode of Disposal of Boiler ash

Provision Of Alternate Electric Supply

No

Separate Electricity Meter Provided to Pollution control Devices

No

Hazardous Waste

CHWSDF Details

CHWTDF Facility Name

NA

CHWTDF Membership Number

0

Hazardous Waste Details		
Description	Waste Category	Quantity in MT/Month
Incineration Ash	37.3	0
STP/ETP	35.3	0
Used Oil		0

Non-Hazardous Waste aspect					
Description	Quantity	UOM	Treatment	Treatment	Remarks
NA	0	0	0	0	NA

5. Additional Information

Do you have Bio Medical Waste Management Committee Constituted

Average Cost (O & M) for ETP/STP

2

Average Cost of APCD Rs/Year

2.00

Brief details of tree plantation/green belt development within applicant's premises

Open Space Availability	Plantation Done On	Number of Trees Planted
1150	1000	100

Whether Environmental Statement submitted

Yes

Environmental Statement submitted Date

10-09-2025

Any other additional information that the applicants desires to give

Do you have Infection Control Committee Constituted

No

6. Financial Details

Is there any Bank Gurantee impose on you during previous Consent/Authorization period.

No

PRINCIPAL
YASANTRAD HAIK INSTITUTE OF NURSING
JALNA-431 203

<i>Bank Gurantee Number</i>	<i>Date</i>	<i>Valid Up To</i>	<i>Amount</i>	<i>Bank Name</i>	<i>Branch</i>
0	01-01-1970	NA	0	NA	NA

Additional Bank Gurantee Details, if Any

<i>Bank Gurantee Number</i>	<i>Date</i>	<i>Valid Up To</i>	<i>Amount</i>	<i>Bank Name</i>	<i>Branch</i>
0	01-01-1970	NA	0	NA	NA

Hereafter called as Party No: 1 executed this agreement through its President Dr. Hitesh Raithatta, residing at Jalna, Jalna.

Whereas the Shri. Rajendra Raosaheb Rakh is presently engaged in A.N.M., G.N.M. and Basic B.Sc. Nursing education at Behind Nutan Vidhyalaya Campus, Near Old Tehsil Office, Old Jalna, Jalna (Dist). The Vasantao Naik Shikshan Prasarak Mandal's thought of establishing Nursing colleges of Vasantao Naik Institute of P.B.B.Sc., Nursing College. The Party No:2 is engaged in the line of prestigious and quality oriented hospital activities in the city of Jalna and around and provide its various medical facilities to the public and having 90 bedded hospital at Jalna. It is 8.0 kms from the proposed college.

NOW THEREFORE BOTH the parties 1 and 2 agree for:

1. THAT Party No: 1 is applying for Post Basic B.Sc., Nursing under affiliation of Maharashtra University of Health Sciences, Nashik.
2. THAT Party No: 1 has requested to Party No; 2 for providing their hospital for clinical experience and practical training of Nursing Students.
3. THAT Party No: 2 is having 90 bedded hospital with more than 95% Occupancy.
4. THAT Party No: 2 has agreed to provide the facilities for a period of 5 Years w.e.f 24/05/2022 onwards which can be renewed after mutual agreement.
5. THAT Party No; 1 and 2 both has agreed mutually for financial implications/complications/ disputes arising if any between the period of agreement in that case, Maharashtra University of Health Sciences, Nashik shall not responsible in any case to conquer the same

Date: 24/05/2022

Place: Jalna

Party No: 1

Signature

Shri. Rajendra Raosaheb Rakh
Vrundawan Colony,
Jalna

Party No: 2

Signature

Dr. Hitesh Raithatta
Mahalaxmi Nagar, Mantha Chowk
Jalna, Jalna (Dist).

DR. HITESH RAITHATHA
M.D. MEDICINE
Reg.No.60623
JALNA CRITICAL CARE
Reg. No. 370/CHJ/2019

ATTESTED BEFORE ME

Dilip S. Bhandarge

DILIP. S. BHANDARGE
B.SC., LL.B., LL.M
ADVOCATE & NOTARY
DIST. JALNA REG. NO. 7122
GOVERNMENT OF INDIA
JALNA



PRINCIPAL

VASANTAO NAIK INSTITUTE OF NURSING
JALNA-431 202

PRINCIPAL

VASANTAO NAIK INSTITUTE OF NURSING
JALNA-431 203.

521



सामान्य रुग्णालय जालना.

CIVIL HOSPITAL JALNA

च्या दि बॉम्बे नर्सिंग होम्स रजिष्ट्रेशन अॅक्टच्या कलम ५ अन्वये
दिलेले रजिष्ट्रेशन सर्टिफिकेट

of Registration Under Section 5 of the Bombay Nursing Homes
Registration Act, 1949 (नियम ५ अन्वये) (Under Rule 5)

क्रमांक (No) 370

दि बॉम्बे नर्सिंग होम्स रजिष्ट्रेशन अॅक्ट १९४९ अन्वये श्री/श्रीमती/डॉ.

जालना क्रिटिकल
केअर महालक्ष्मी नगर, मंठा चौफुली

जालना क्रिटिकल केअर अँड रिसर्च सेंटर प्रा.लि. यांचे

जालना

येथील नर्सिंग होम/मॅटर्निटी होम रजिष्टर केले असून

सदरचे नर्सिंग होम व मॅटर्निटी हेम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati/Dr.

Jalna Critical Care

Mahalaxmi Nagar, "Jalna Critical Care and research centre pvt.Ltd." has been registered under the
Bombay Nursing Homes Registration Act, 1949 In respect of

Situated at

Mantha chowfally

and has been authorised to carry on the said Nursing Home.

रजिष्ट्रेशन क्र. : 370/CHJ/2019

प्रसूतीसाठी

कॉट्स

Registration No. —

Maternity

Cots

रजिष्ट्रेशन दि. : 10/06/2019

इतर रुग्णांसाठी

90

कॉट्स

Registration Date. —

Other

Cots

ठिकाण Place :

Jalna

सर्टिफिकेट दिल्याचा दिनांक

02 MAY 2025

सदरचे सर्टिफिकेट दिनांक ३१ मार्च 2028 पर्यंत कार्यवाहीत राहील.

This certificate shall be valid upto 31st March 2028

Dr. Rajendra S. Paul
Civil Hospital, Jalna
Dist. Civil Surgeon
General Hospital, Jalna

PRINCIPAL
VASANTRAO HAIK INSTITUTE OF NURSING
JALNA-431 203



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण बोर्ड

ATUL ENVIRONMENT SERVICES
GUT NO. 240, DAWALWADI, TQ. BADNAPUR, DIST. JALNA
Dawalwadi - 431202
Phone No:9423149670
Email Id:atulenvironmentservices1@gmail.com



Unique Registration No.: JLHP0150



Registration Certificate



Outward No.: AES/25-26/000631

Date: 04-Mar-2026

This is to certify that JALNA CRITICAL CARE AND RESEARCH CENTER PVT. LTD., JALNA CRITICAL CARE , PLOT NO. D7 & D8, MAHALAXMI NAGAR, MANTHA CHOWK, MANTHA CHOWJFULLY, JALNA TQ. & DIST. JALNA-431203 is registered with ATUL ENVIRONMENT SERVICES, Dawalwadi for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. HITESH K. RAIHATHA DOCTOR
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	370
b. BNH Issue Date	28-Mar-2022
c. Total Number of Beds	90
d. BNH Validity(Form 'C')	31-Mar-2025
3. Common Treatment Facility Registration Details	
a. Date of Registration	02-May-2019
b. No. of Beds Registered	90
c. Registration Validity	03-Sep-2026
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	03-Sep-2026
b. No. of Beds Registered	90
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	PSO/UAN NO.0000132430/CR/2210001381
b. Issue Date	19-Oct-2022
c. Validity up to	31-May-2025




For ATUL ENVIRONMENT SERVICES

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps0@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/M.S.I

No:- Format1.0/PSO/UAN No.MPCB-
CONSENT-0000241436/CO/2505003839

Date:
28/05/2025

To,
Jalna Critical Care & Research Center Pvt. Ltd.
Survey No. 11132, Plot No. D7 & 8, Mahalaxmi Nagar,
Mantha Chaufully,
Jalna-431203
Email: admin@jalnacriticalcare.com
Contact No.:9552519050



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/PSO/UAN No.0000132430/CR/2210001381 dtd 19/10/2022
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 25/03/2024
 3. SCN for refusal issued on 15/05/2025
 4. 12% penal interest paid on 19/05/2025
 5. Information uploaded on on 22/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-05-2025 To 31-05-2027**
2. HCF Area : - Plot Area 1811.61 M² with Built-up area 2525.57 M².
3. **Activities Included**
 - a. Total Number of Beds : **90 Nos.** (As per BNH certificate no. 370/CHJ/2019 valid upto 31-03-2028)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 18.3 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

(Signature)
PRINCIPAL
VASANTRAO HAIK INSTITUTE OF NURSING
JALNA-431 203

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Atul Environment Services Jalna, Jalana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
9. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall upgrade the STP to adequate capacity to treat the waste water to achieve prescribed discharge standards within 3 Months..
17. You shall submit the bank guarantee of Rs.1.25 towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract 12% penal interest as per Board Circular dated 29/02/2025.
18. You shall not extract the ground water till obtaining CGWA NOC.
19. As per your application, the laundry activity is outsourced. Therefore, you are strictly prohibited from conducting any laundry activity within the premises of your facility
20. You shall ensure that the hospital operates with a valid registration under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF).
21. You shall ensure segregation of biomedical waste strictly in accordance with Schedule-I of the Bio-Medical Waste Management Rules, 2016. The Sewage Treatment Plant (STP) shall be operated and maintained to consistently meet the prescribed discharge standards. Records of biomedical waste handed over to the Maharashtra Pollution Control Board (MPCB) authorized Common Bio-Medical Waste Treatment Facility (CBWTF) shall be meticulously maintained. The online Biomedical Waste Annual report shall be submitted to the prescribed authority on or before 30th June of every year of the preceding year.
22. You have paid the 12% penal intreat of Rs.21896/- for non submission of Bank Guarantee within stipulated period.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.




V. Ramesh Thakur



Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2025-05-28 13:37:33 IST

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



STAMP HEAD CLERK

MAHARASHTRA 2022 ZR 5990
५०००६ ५४१०३ ५००५
० 2021 ०
ड. राजनाथ रावराव दिवराडे
२५/०५/२०२२
वकील वरुणराव रावराव कोमठ आंध्र प्रदेश
दि २४/०५/२०२२
०१/०५/२२

Memorandum of Understanding

This Memorandum of Understanding is made on this 24.05.2022

Between

Vasantao Naik Shikshan Prasarak Mandal's (Reg.No: MAH/9/85 Jalna)
Vasantao Naik Institute of Nursing,
Behind Nutan Vidhyalaya Campus, Near Tehsil Office,
Old Jalna, Jalna (Dist) – 431 213.



Hereafter called as Party No: 1 executed this agreement through its President Shri. Rajendra Raosaheb Rakh, 57 Years residing at Vrundawan Colony, Old Jalna, Jalna (Dist).

And

Niramay Multispeciality Hospital,
Railway Station Road, Old Jalna,
Jalna (Dist)

PRINCIPAL
VASANTAO NAIK INSTITUTE OF NURSING
JALNA-431 203
PRINCIPAL
VASANTAO NAIK INSTITUTE OF NURSING
JALNA-431 203

Hereafter called as Party No: 1 executed this agreement through its President **Dr. Padmakar Sabnis**, residing at **Jalna, Jalna**.

Whereas the **Shri. Rajendra Raosaheb Rakh** is presently engaged in **A.N.M, G.N.M, and Basic B.Sc., Nursing** education at **Behind Nutan Vidhyalaya Campus, Near Old Tehsil Office, Old Jalna, Jalna (Dist)**. The **Vasantrao Naik Shikshan Prasarak Mandal's** thought of establishing **Nursing Colleges of Vasantrao Naik Institute of P.B.B.Sc., Nursing College**.

The Party No:2 is engaged in the line of prestigious and quality oriented hospital activities in the city of Jalna and around and provide its various medical facilities to the public and have 50 bedded hospital at Jalna. It is 4.0 kms from the proposed college.



HEREFORE BOTH the parties 1 and 2 agree for:
THAT Party No: 1 is applying for **Post Basic B.Sc., Nursing** under affiliation of **Maharashtra University of Health Sciences, Nashik**.

Party No: 1 has requested to Party No: 2 for providing their hospital for clinical experience and practical training of **Nursing Students**.

3. THAT Party No: 2 is having 50 bedded hospital with more than 95% Occupancy.
4. THAT Party No: 2 has agreed to provide the facilities for a period of 5 Years w.e.f 24/05/2022 onwards which can be renewed after mutual agreement.
5. THAT Party No: 1 and 2 both has agreed mutually for financial implications/complications/ disputes arising if any between the period of agreement in that case, **Maharashtra University of Health Sciences, Nashik** shall not responsible in any case to conquer the same

Date: 24/05/2022
Place: Jalna

Party No: 1
Signature

Shri. Rajendra Raosaheb Rakh
Vrundawan Colony,
Chowk Jalna

Party No: 2
Signature

Dr. Padmakar Sabnis
Railway Station Road, Old,
Jalna, Jalna (Dist).

ATTESTED BEFORE ME

DILIP. S. BHANDARGE
B.S.C., L. & M. GENERAL
ADVOCATE & NOTARY PUBLIC
DIST. JALNA REG. NO. 7122
GOVERNMENT OF INDIA
W/11LA GALLI CORNER, COURT ROAD, JALNA



PRINCIPAL
VASANT RAO NAIK INSTITUTE OF NURSING
JALNA - 431 203



सामान्य रुग्णालय जालना.

CIVIL HOSPITAL JALNA

१९ च्या दि बॉम्बे नर्सिंग होम्स रजिष्ट्रेशन ॲक्टच्या कलम ५ अन्वये
दिलेले रजिष्ट्रेशन सर्टिफिकेट

Certificate of Registration Under Section 5 of the Bombay Nursing Homes
Registration Act, 1949 (नियम ५ अन्वये) (Under Rule 5)

क्रमांक (No) 176

दि बॉम्बे नर्सिंग होम्स रजिष्ट्रेशन ॲक्ट १९४९ अन्वये श्री/श्रीमती/डॉ. पद्माकर माधव

सबनिस "निरामय हॉस्पिटल"

सी. टी. एस. १०५८५/१, मंमा देवी ते रेल्वे स्टेशन यांचे

रोड, जुना जालना येथील नर्सिंग होम/मॅटर्निटी होम रजिष्टर केले असून
सदरचे नर्सिंग होम व मॅटर्निटी हेम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri/Shrinati/Dr. Padmakar Madhav Sabnis
"Niramay Hospital" has been registered under the

Bombay Nursing Homes Registration Act, 1949 In respect of C.T.S. 10585/1

Situated at Mamadevi to Railway

and has been authorised to carry on the said Nursing Home. Station Road, old Jalna

रजिष्ट्रेशन क्र. : 176/CHJ/2014 प्रसूतीसाठी — कॉट्स

Registration No. — Maternity 10 Cots

रजिष्ट्रेशन दि. : — इतर रुग्णांसाठी — कॉट्स

Registration Date. 11/02/2014 Other 40 Cots

ठिकाण Place : Jalna

सर्टिफिकेट दिल्याचा दिनांक 31 MAR 2025

सदरचे सर्टिफिकेट दिनांक ३१ मार्च 2028 पर्यंत कार्यवाहीत राहील.

This certificate shall be valid upto 31st March 2028


Civil Surgeon
Dr. Balendra S. Paul
Dist. Civil Surgeon
General Hospital, Jalna



SHREE SERVICES

Govt. of India, NSIC/Gp/AUR/2014/011813
Govt. of Maharashtra, Licence No.: MFS.F-187



Office : "MANISHA" Plot No. J-1, Shivshankar Colony, Near Tanaji Chowk, Aurangabad - 431 005 (M.S.)
Tel.Fax: 0240 - 2340931, Mob.: 9850036339, 9922760311, 9881549922. E-mail: shraefire@yahoo.co.in

To,
NIRMAY MULTI SUPELIST HOSPITAL
STATION ROAD OLD JALNA,
JALNA.

Date: 14/2/2022

SUB: FIRE AUDIT REPORT FOR YOUR HOSPITAL BUILDING ON , CITY SURVEY NO. 10585/1. PLOT. NO. 74
REFER: YOUR APPLICATION DATED 13/2/2022
DEAR SIR,

This has reference to the above this office has fire audit for your Hospital building on PLOT.NO. 74, CITY SURVEY NO. 10585/1 BUILD-UP AREA 667.65 SQ. Mtr. & TOTAL BUILD-UP AREA TOTAL 667.65 SQ. Mtr

Maharashtra Fire prevention and Life safety measure Act 2006 the Application shall comply with the fire & life safety Measures According to national building code 2005 and as amended from time to time filling such it shall be treated as a violation of the said act . All portable Fire Fighting Equipment s installed at various in per local hazard such as fire fighting system , ABC Type Fire Extinguisher, Fire Buckets Should be strictly as per conforming to IS 15683 All the Fire fighting Equipment shall be maintained and should be easily accessible in case of the emergency. Fire Extinguisher " FIRE BUCKETS" " Danger" No Smoking " Caution boards should be displayed at the place visible from Distance

Equipment & provision : The Following Fire Protection system is Required for the fire safety of building :

Sr. No.	Fire Fighting Installation	Requirement	Provision / Installation	Remark / Location
1	ABC TYPE FIRE EXTINGUISHERS 6 KG. CAP.	Required	30 Nos	As per IS. 15683.
2	CO2 TYPE FIRE EXTINGUISHERS 4.5KG. CAP.	Required	02 Nos	As per IS. 15683
3	FIRE ALARM / MANUAL CALL POINTS	Required	1 SL	
4	FIRE BUCETS 9 LTR. CAP. WITH STAND	Required	1 Nos	
5	HOSE REEL IN 30 MTR LENGTH	Required	4 Nos	
6	UNDER GROUND WATER TANK 40,000	Required	1 Nos	
7	FIRE HYDRANT POINTS	Required	05 Nos	NBC 2006
8	PUMP 120 LPM. CAP. KIRLOSAR	Required	01 Nos	
	SING INDICATION ALL FIRE SAFETY SAFE	Sign indicators should provide at permanent place as per the		
	EVACUATION OF OCCUPATS IN CASE OF EMERGENCY SINGS:	Guideline given in:-		
		IS- 9457 for safety color & safety IS: 12349 for fire Protection safety sign.		
		IS: 12407 for Graphics symbols for fire protection		

portable Fire Fighting equipment should be installed at various location as shown at the time of inspection, such as , ABC Type Fire Extinguishers , Fire Buckets should be strictly conforming to relevant specification All the Fire fighting Equipment shall be well maintained and should be easily accessible in case of Emergency The Indication Marking like Exit Fire Equip etc. should be permanently Marked with fluorescent paint so that it be seen in Dark.
Thanking you.



Your faithfully,
SHREE SERVICES
Licence No MFS.F.300

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



ISO 9001 : 2015 Certificate

**VISHWAS
FIRE SERVICES**

INSTALLATION & SUPPLY OF FIRE FITTING SYSTEM



Gov Of India : Reg. No. MH 13E0000439

Mob : +91 9923725311, 9527499898 | Email ID : vishwasfire123@gmail.com

Ref.

Date : 5 FEB 2020

WORK COMPLETION CERTIFICATE

This is Certify that Our Vishwas Fire Services Successfully installed Hydrant System & Fire Alarm System & Smoke Deducator in your M/s Niramaya Multi Specialty Hospital, Jalna.

Hence, this work completion Certificate.

Sr. no	Name of Work
1	M.S. B Class Pipe 4" ISI Mark
2	Hydrant Walve ISI Mark 5 no
3	Hose reel hose with 30 Mtr pipe 1" ISI Mark
4	Jaccky Pump Electrical Kirioskar 7.5 HP
5	ABC Type Fire Ext. 6 Kg ISI Mark 10 No
6	CO2 Type Fire Ext. 4.5 Kg ISI Mark 2 no
7	Smoke Deducator 35 No
8	Alarm 3 no
9	MCP 3 No
10	4 Zone Alarm Panel 1 No

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

A to Z english School Back site, Income Tex Colony, Old Jalna, Jalna. (M.H) - 431 203

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: <http://mpcb.gov.in>
Email:
roaurangabad@mpcb.gov.in



Paryavaran Bhavan, A - 4/1,
MIDC Area , Chikalthana,
Near Seth Nandlal Dhoot
Hospital, Jalna Road ,
Chatrapati Sambhaji Nagar -
431 210

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.0000188857/CO/2403000261

Date: 04/03/2024

To,
Niramay Hospital,
Railway Station Road, Old Jalna,
Tal & Dist- Jalna



Email:niramayhospital@yahoo.com
Contact No.:7774043570

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000188857& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 27/11/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-12-2021 To 31-12-2027**

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

2. The capital investment of the HCF is ₹143.66 Lakhs (As per C.A Certificate Submitted by HCF)

3. HCF Area: - Plot Area 700.00 M² with Built-up area 500.00 M².

4. **Activities Included**

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 176 valid upto 31-03-2025)

I. General Beds : **40 Nos**

II. Maternity Beds : **10 Nos**

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 2000 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II.**

2. You shall provide adequate emission control system to DG set as specified in **Annexure-II.**

3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II.**

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.

2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**



PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Atul Environment Services Jalna, Jalana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
 17. You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



[Handwritten signature]

04e58fe1
19654a1e
250095c8
1879eFf8
6abd0c87
713af3ed
18992ac6
95086331

Signed by: S M Kurnude
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
raurangabad@mpcb.gov.in
2024-03-04 10:42:36 IST

Received Consent/Authorization fee of -

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	60000.00	TXN2311003811	27/11/2023	Online Payment
2	85808.00	TXN2312002445	13/12/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Chatrapati Sambhaji Nagar and Sub-Regional Officer, MPCB, Jalna
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2,000.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	5.0	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.


PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	3.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	3.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	3.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
		b) Metallic body implants	0.00		

PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Atul Environment Services Jalna, Jalana** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chatrapati Sambhaji Nagar and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

PRINCIPAL
VASANTRAO HAJIK INSTITUTE OF NURSING
JALNA-431 203

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	10,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
2 Performance			
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,25,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chatrapati Sambhaji Nagar.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

PRINCIPAL

VASANTRAO WANK INSTITUTE OF NURSING
JALNA-431 203

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



MAHARASHTRA 3994 0.2021 ६०० १६ ३९/०५/२०२२-ZS 322124

एक: कनाथ फारुख दिवरो रा सामा

HEAD CLERK अजा: वसन्तराव गडिके कामेश ऑफ एस.जी. कोर शासकिय प्राक विदे परवाना नं. 36010 सहसिल कार्यालय, जल दिनांक ३९/०५/२०२२

Memorandum of Understanding

This Memorandum of Understanding is made on this 10.06.2022

Between

Vasantrao Naik Shikshan Prasarak Mandal's (Reg.No: MAH/9/85 Jalna)

Vasantrao Naik Institute of Nursing,

Behind Nutan Vidhyalaya Campus, Near Tehsil Office,

Old Jalna, Jalna (Dist) - 431 213.



Hereafter called as Party No: 1 executed this agreement through its President Shri. Rajendra Prasad Rakh, 57 Years residing at Vrundawan Colony, Old Jalna, Jalna (Dist).

And


Venkateshwara Hospital

Kalpataru Park, Ambad Chowfully, Old Jalna,

Jalna (Dist)

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

Hereafter called as Party No: 1 executed this agreement through its President Dr. Vajinath Rathod, residing at Jalna, Jalna.



Whereas the Shri. Rajendra Raosaheb Rakh is presently engaged in A.N.M; G.N.M, and Basic B.Sc., Nursing education at Behind Nutan Vidhyalaya Campus, Near Old Tehsil Office, Old Jalna, Jalna (Dist). The Vasantrao Naik Shikshan Prasarak Mandal's thought of establishing Nursing College of Vasantrao Naik Institute of P.B.B.Sc., Nursing College.

The Party.No:2 is engaged in the line of prestigious and quality oriented hospital activities in the city of Jalna and around and provide its various medical facilities to the public and having 30 bedded hospital at Jalna. It is 2.5 kms from the proposed college.


NOW THEREFORE BOTH the parties 1 and 2 agree for:

1. THAT Party No: 1 is applying for Post-Basic B.Sc., Nursing under affiliation of Maharashtra University of Health Sciences, Nashik.
2. THAT Party No: 1 has requested to Party No; 2 for providing their hospital for clinical experience and practical training of Nursing Students.

THAT Party No: 2 is having 30 bedded hospital with more than 95% Occupancy.

4. THAT Party No: 2 has agreed to provide the facilities for a period of 5 Years w.e.f 10/06/2022 onwards which can be renewed after mutual agreement.

5. THAT Party No; 1 and 2 both has agreed mutually for financial implications/complications/ disputes arising if any between the period of agreement in that case, Maharashtra University of Health Sciences, Nashik shall not responsible in any case to conquer the same.



Date: 10/06/2022
Place: Jalna

Party No: 1
Signature *Rakh*

Shri. Rajendra Raosaheb Rakh
Vrundawan Colony,
Old, Jalna, Jalna (Dist).

Party No: 2
Signature *Vajinath Rathod*

Dr. Vajinath Rathod
Kalpataru Park, Ambad Chowdully,
Old Jalna, Jalna (Dist).

ATTESTED BEFORE ME

10/11/2022
NOTARY PUBLIC
JALNA REG. NO. 7122
GOVERNMENT OF INDIA

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



सामान्य रुग्णालय जालना.

CIVIL HOSPITAL JALNA

१९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अक्टच्या कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration Under Section 5 of the Bombay Nursing Homes Registration Act, 1949 (कलम ५ अन्वये) (Under Rule 5)

क्रमांक (No) 132-

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अक्ट १९४९ अन्वये डॉ/ ~~स्त्री~~ / डॉ. दिपक भगवानराव थोरुने व डॉ. मनोज मिसाल "स्पेकटेरवरा हॉस्पिटल" कल्याणरु पार्क, डायस चौक, जालना

दिलेले नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम बालविभक्त नवदास देण्यात येत आहे.

This is to certify that Shri/ ~~Shri~~ / Dr. Deepak Bhagwanrao Thorre Dr. Manoj Misal, has been registered under the Bombay Nursing Homes Registration Act, 1949 in respect of Venkateshwara Hospital situated at Kalpataru Park, Ambal Chhatrapati, Jalna. and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र.: 432/CHJ/2021 प्रसूतीसाठी - - - - - कोट्स
Registration No - - - - - Maternity - - - - - Cots
रजिस्ट्रेशन दि. - - - - - इतर रुग्णांसाठी 30 कोट्स
Registration Date 17/04/2021 Other - - - - - Cots
विकास Place - - - - - Jalna

सर्टिफिकेट दिवसाचा दिनांक 05/04/2021
सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२१ पर्यंत कार्यवाहीत राहील.

Dr. Rajesh R. S. P. P. P.
Dist. Registrar Jalna

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण बोर्ड

ATUL ENVIRONMENT SERVICES

GUT NO. 240, DAWALWADI, TQ. BADNAPUR, DIST. JALNA
Dawalwadi - 431202
Phone No:9423140670
Email Id:atulenviroimentservicos1@gmail.com



Unique Registration No.: JLHP0177



Registration Certificate



Outward No.: AES/25-26/000522

Date: 19-Jan-2026

This is to certify that VENKATESHWARA HOSPITAL, CTS-NO-11237, AMBAD CHAUFULLY, KALPTARU PARK, IN FRONT OF JALNA HOSPITAL, JALNA, TQ. JALNA, DIST. JALNA, -431203 is registered with ATUL ENVIRONMENT SERVICES, Dawalwadi for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. MANOJ MISAL DOCTOR
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	432/CHJ/2021
b. BNH Issue Date	05-Apr-2024
c. Total Number of Beds	30
d. BNH Validity(Form 'C')	31-Mar-2027
3. Common Treatment Facility Registration Details	
a. Date of Registration	02-Jun-2021
b. No. of Beds Registered	30
c. Registration Validity	18-Jan-2027
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	18-Jan-2027
b. No. of Beds Registered	30
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	RO-AURANGABAD/BMW-AUTH/2205000711
b. Issue Date	27-May-2022
c. Validity up to	30-Apr-2024



Atul

For ATUL ENVIRONMENT SERVICES

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M,& TM) Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

General Information

UAN No:

MPCB-CONSENT-0000223397

Application submitted on:

12-10-2024

Industry Information

Industry Type:

O88 Health-care Establishment
(as defined in BMW Rules)

Category:

Orange

Scale:

S.S.I

Consent To:

Operate (Plain Renewal)

Submit to:

SRO - Jalna

Consent to Establish Details

Consent to Establish No.

Consent to Establish date

01-01-1970

Consent to Establish Valid Upto

01-01-1970

Previous Consent No.

0000043256

Previous Consent date

27-05-2022

Previous Consent Valid Upto

30-04-2024

Perticulars of Applicant (Owner/Occupier/Any other Authorised Person)

First Name *Father / Husband Name*

Dr. MANOJ ZINGRAJI

Last Name

MISAL

Designation

DOCTOR

Mobile No *Telephone/Fax*

7798976697

Email

doc.misalmanoj@gmail.com

Aadhar No

999762858000

PAN No *Address*

BJNPM9267N KALPATARU PARK NEAR AMBAD CHAUFULI, OLD JALNA 431203

Pin Code

431203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

VENKATESHWARA HOSPITAL

b) Address for Correspondance

Pin Code

431203

District

Jalna

City/Town

Jalna

Survey/Gut No.

5

Name of premises /Building

KALPATARU PARK

Road/Street

NEAR AMBAD CHAUFULI OLD JALNA

Area/Locality

Jalna

Email

venkateshwarahospitaljalna@gmail.com

Website URL

NA

c) Onwership of Facility

Private (Proprietary Establishment)

Land Ownership

Self Owned

d) Month and year of commissioning of the HCF

06/2021

e) Area of the Facility / Hospital

i) Total plot area (in square meter)

460.00

ii) Built up area (in square meter)

268.9

iii) Open Plot Area (Sq.Mtr)

191.10

f) Enter Latitude and Longitude of site (In degrees)

Latitude (In degrees)

0

Longitude (In degrees)

0

g) Does HCF have Operation Theatre

No

h) Does HCF have Laundry facility in premises

No

i) Does HCF have Canteen/Cafeteria facility in premises

No

j) Does HCF have Hostel/Residential quarters in premises

No

BMW Authorization Details

a) Type of health treatment system

Medicine

b) Bombay Nursing Home Registration Details

Total number of Beds

30

BNH Registration Number

432CHJ2021

Valid Upto

31-03-2027

First Issued Date

17-04-2021

Certificate issuing Authority

Civil Surgeon

c) Diagnostic and Pharma Facilities available in Premises

Pathology Lab

No

Blood Bank

No

d) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose

No

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

Category wise Bio-Medical Waste Collected ,Treated,Disposed			
Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/M)
1	Yellow	a) Human Anatomical waste	4.00
		b) Animal Anatomical Waste	0
		c) Soiled Waste	3.00
		d) Expired or Discarded Medicines	2.00
		e) Chemical Waste	0
		f) Chemical Liquid Waste	0
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0
		h) Microbiology Biotechnology and other clinical laboratory waste	0
2	Red	Contaminated waste (Recyclable)	4.00
3	White (Translucent)	Waste sharps including Metals	2.00
4	Blue	a. Glassware	0
		b. Metallic body implants	0

Do you Have Equipment Installed for Pretreatment of Yellow (g), (h) Category Waste

No

Whether you have establish a Bar-Code system for Bag or Containers containing Bio-Medical waste

No

Common Facility Membership Details (CTF)

CTF Name

M/s. Atul Environment Services, Jalna

Membership Number

JLHP0177

Issued Date

02-02-2025

4.Consent Details

a) Sources of Water

i) **Surface Water** No

ii) **Ground Water** No

iii) **Tanker Water** Yes

Quantity of water (CMD) Source of tanker water (Surface,Borewell etc.)

8 Municipal Council Jalna

b) Water Consumption Details

Raw Water (CMD) Recycle Water (CMD)

2 6

Total Water Quantity Requirement (CMD)

8

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Disposal
Domestic Pourpose	8	2	NA
Pathology Laboratory, Floor washing, Operation Theater	0	0	NA
Laundry	0	0	NA
Industrial Cooling,spraying in mine pits or boiler feed	0	0	NA
Total	8.00	2.00	

d) Waste Water Treatment

Have you installed STP or ETP

No

e) Other waste generation details

1) Municipal Solid Waste

a) Biodegradable Waste(kg/day)

0

b) Recyclable Waste(kg/day)

0

c) Domestic Hazardous Waste(kg/day)

0

Air Pollution

Whether D.G. Set Installed

No

Do you have Boiler Installed

No

Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Port hole
No

Platform
No

Ladder
No

Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
		NA	NA	NA
Particulate matter	50 mg/Nm ³	0	0	0
Nitrogen oxides	400 mg/Nm ³	0	0	0
HCL	50 mg/Nm ³	0	0	0
Total Dioxins and Furans	0.1 ng TEQ/Nm ³ (at 11% O ₂)	0	0	0
Hg and its compounds	0.05 mg/Nm ³	0	0	0

Whether you have provided Online Continuous Emission Monitoring Systems (OCEMS)

No

Quantity of ash generated from Boiler (Tonnes/ month):

Mode of Disposal of Boiler ash

Provision Of Alternate Electric Supply

No

Separate Electricity Meter Provided to Pollution control Devices

No

Hazardous Waste

CHWSDF Details

CHWTF Facility Name

NA

CHWTF Membership Number

0

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF M
JALNA-431 203

Hazardous Waste Details		
Description	Waste Category	Quantity in MT/Month
Incineration Ash	37.3	0
STP/ETP	35.3	0

Used Oil		0
----------	--	---

Non-Hazardous Waste aspect					
Description	Quantity	UOM	Treatment	Treatment	Remarks

5. Additional Information

Do you have Bio Medical Waste Management Committee Constituted

No

Average Cost (O & M) for ETP/STP

30

Average Cost of APCD Rs/Year

21.00

Brief details of tree plantation/green belt development within applicant's premises

Open Space Availability	Plantation Done On	Number of Trees Planted
200	100	10

Whether Environmental Statement submitted

Environmental Statement submitted Date

01-01-1970

Any other additional information that the applicants desires to give

Do you have Infection Control Committee Constituted

No

6. Financial Details

Is there any Bank Gurantee impose on you during previous Consent/Authorization period.

No

Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA

Additional Bank Gurantee Details, if Any					
Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA


PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

Phone : 0240-2473461/93
 Fax : 0240-2473462
 Email : raaurangabad@mpcb.gov.in
 Visit At : <http://mpcb.gov.in>



Regional Office
 Palyavaran, Bhawan, A-4/1, MIDC Area Chikalthana
 Near Seth Nardlal Dhoot Hospital, Jalna Road
 Aurangabad-431219.

"Your Service is our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION
[Authorization for Generation of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
 RO-AURANGABAD/BMW-AUTH/22-0-5000711 Date: 27/05/2022
- II. M/s. Venkateshwara Hospital is hereby granted an authorization for generation of biomedical waste on the premises situated Kalptaru Park, Ambad Chikalthana, Jalna.
- III. This authorization shall valid for a period up to 30.04.2024. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 30

Terms and Conditions of authorization

1. The "authorized Person" Dr. Manoj Zingra Misal, shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority i.e. Member Secretary, MPCB.
3. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
4. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste Categories and quantities listed here in below:

Category	Type of Waste	Type of Bag or Container to be used	Quantity Kg/Month	Treatment and Disposal options
1 Yellow	2 (a) Human Anatomical Waste: Human tissues, organs, body parts and fetus below the viability period (as per the Medical Termination of Pregnancy Act 1971, amended from time to time).	3 Yellow coloured non-chlorinated plastic bags	4 3.0	5 CBMWTSDF Jalna

901/1016
 27/5/22



MPCB-BMW_AUTH-0000043256

PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431203

<p>(b) Animal Anatomical Waste: Experimental animal carcasses, body parts, organs, tissues, including the waste generated from animals used in experiments or testing in veterinary hospitals or colleges or animal houses.</p>			
<p>(c) Soiled Waste: Items contaminated with blood, body fluids like dressings, plaster casts, cotton swabs and bags containing residual or discarded blood and blood components.</p>		3.5	CBMWTSDF Jalna
<p>(d) Expired or Discarded Medicines: Pharmaceutical wastelike antibiotics, cytotoxic drugs including all items contaminated with cytotoxic drugs along with glass or plastic ampoules, vials etc.</p>	Yellow coloured non-chlorinated plastic bags or containers		CBMWTSDF Jalna
<p>(e) Chemical Waste: Chemicals used in production of biological and used or discarded disinfectants.</p>	Yellow coloured containers or non-chlorinated plastic bags		
<p>(f) Chemical Liquid Waste: Liquid waste generated due to use of chemicals in production of biological and used or discarded disinfectants, Silver X-ray film developing liquid, discarded (Formalin, infected secretions, aspirated body fluids, liquid from laboratories and floor washings, cleaning, house-keeping and disinfecting activities etc.</p>	Separate collection system leading to effluent treatment system.	--	After resource recovery, the chemical liquid waste shall be pre-treated before mixing with other wastewater. The combined discharge shall conform to the discharge norms given in Schedule II.
<p>(g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.</p>	Non-chlorinated yellow plastic bags or suitable packing material	--	



PRINCIPAL
VASANTRAO HAIK INSTITUTE OF NURSING
JALNA-431 203

	(h) Microbiology, Biotechnology and other clinical laboratory waste: Blood bags, Laboratory cultures, stocks or specimens of microorganisms, live or attenuated vaccines, human and animal cell cultures used in research, industrial laboratories, production of biological residual toxins, dishes and devices used for cultures.	Autoclave safe plastic bags or containers		CBMWTSEF Jalna
Red	Contaminated Waste (Recyclable) (a) Wastes generated from disposable items such as tubing, bottles, intravenous tubes and sets, catheters, urine bags, syringes (without needles and fixed needle syringes) and vacutainers with their needles out and gloves.	Red coloured non-chlorinated plastic bags or containers	3.5	CBMWTSEF Jalna
White (Translucent)	Waste sharps including Metals: Needles, syringes with fixed needles, needles from needle tip cutter or burner, scalpels, blades, or any other contaminated sharp object that may cause puncture and cuts. This includes both used, discarded and contaminated metal sharps.	Puncture proof, leak proof, amber proof containers	2.0	CBMWTSEF Jalna
Blue	(i) Glassware: Broken or discarded and contaminated glass including medicine vials and ampoules except those contaminated with cytotoxic wastes.	Cardboard boxes with blue colored marking		
	(h) Metallic Body Implants	Cardboard boxes with blue colored marking		
No onsite treatment of BMW is permitted. The above mentioned Bio Medical Waste shall be sent to Common BMW Treatment and Disposal facility authorized by MPCB for Jalna - M/s. Atul Environment Services, Gur No. 240, Dawalwadi, Tq. Badnapur, Dist. Jalna.				

5. The liquid / solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
6. (i) BMW shall not be mixed with other wastes or reused or solid in any form.
(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and

MPCB-BMW_AU/TH-0000043256

85

20/5/20

PRINCIPAL
VASANTRAO WAIK INSTITUTE OF NURSING
JALNA-431 203

- shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules thereunder, BMW shall be transported only in such vehicles as may be authorized for the purpose by the competent authority as specified by the Government.
 - (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
 - (vi) Necessary protective gear for the waste handlers shall be provided by the hospital authority.
 - (vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of the sphygmomanometer, pressure gauges (sphygmomanometers) other equipments used in health care facilities as well as its storage in accordance with the Hazardous waste (Management & Handling) Rules (presently these Rules are to be read as Hazardous Waste (Management & Handling and Transboundary Movement) Rule, 2008) and returning it to the instrument manufactures apart from necessary taking steps to ensure that the spilled mercury does not become as part of bio-medical or other solid waste generated from the HCFs.
 - vii) Authorized person shall obtain prior permission from MPCB for generation & disposal of Bio-Medical waste quantity of category specified exceed the limits authorized at condition No. 4 above.
7. i) You shall submit an Annual Report to the prescribed authority in Form- by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
- ii) You shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- iii) All records shall be subject to inspection and verification by the prescribed Authority at any time.
8. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.

9. This authorization is issued subject to condition as mentioned below.

- i) You shall submit compliance of authorization conditions every six months to Sub-Regional Office Jalna.
- ii) You shall provide Annual report in Form-II duly certified by facility operator.
- iii) You shall provide valid copy of registration under Bombay Nursing Home Act.

MPCB-BMW_AUTH-000004236

4

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

- iv) You shall obtain Consent to Operate from Board under Water (P & CP) Act, 1974 and Air (P & CP) Act, 1981, forthwith.
- v) The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
- vi) The Hospital shall not carry any expansion, change, Addition, Modification, and Modernization in the existing set up till to obtain prior permission from the Board.

10. The Hospital Authority shall furnish the following BG's towards compliance of conditions of authorization within 15 days from date of issuance of the authorization as per Circular of MPGB, HQ, Mumbai vide letter No. MPCB/PSO/BMW/H-1825 dtd.10.04.2013.

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount	Bank Guarantee(s) validity
I (A) Operation and Maintenance				
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-	30.04.2024
2	Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000/-	30.04.2024
I (B) Records				
1	To Maintain records of BMW and submission of Annual Report in Form-II before 31 st January	Continuous	15,000/-	30.04.2024
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000/-	30.04.2024
II Performance				
1	To provide Separate BMW storage facility As per guidelines of CPCB.	Continuous	25,000/-	30.04.2024
III Related to consent				
1	PP shall provide ETP/STP of adequate capacity within 6 months.	6 months	50000/-	30.04.2024
Total			150000/-	

(i) The above Bank Guarantee(s) shall be submitted by the applicant at the respective Regional Office within 15 days of the date of issue of BMW Authorization.

11. The Board reserves the right to review, amend, suspend, revoke etc. this authorization and same shall be binding on the hospital authority.

MPCB-BMW_AUTH-0000043256



PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

12. This authorization should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

13. The hospital shall submit the Bombay Nursing Home certificate for 30 beds within one month.

(Dr. P.M. Joshi)
Regional Officer, Aurangabad



To,
M/s. Venkateshwara Hospital,
Kalparu Park, Ambad Chauhili, Jalna.

Authorization Fees Received:-

Sr no	Amount	Transaction number	Date
1	7500/-	TXN2205000165	02-05-2022

Copy to: Sub-Regional Officer, MPCB, Jalna.

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0240-247346/1063
 0240-2473462
 Fax : 0240-2473462
 Email : rasurangabad@mpcb.gov.in
 Visit At : <http://mpcb.gov.in>



Regional Office,
 Panchsheel Park, A-43, 1st Floor, Hospital Road,
 Near Sats Hospital Dental Hospital, Jalna Road,
 Aurangabad-431210

"Your Service is our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

(Authorisation for Generation of Bio-Medical Wastes under Rule 7(1))

- I. File number of authorisation and date of issue
 RO-AURANGABAD/BMW-AUTH/22-0500711 Date 27/05/2022
- II. M/s. Venkateshwara Hospital is hereby granted an authorization for generation of biomedical waste on the premises situated Kalptara Park, Ambad Chhatpali, Jalna.
- III. This authorization shall valid for a period up to 30.04.2024. An application shall be made by the owner/operator for renewal 3 Months before expiry of each authorization.
- IV. This authorisation is issued subject to compliance of the conditions listed below and to such other conditions as may be specified in the Rules from the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 30

Terms and Conditions of authorization

1. The "authorized Person" Dr. Manoj Zingrao Misal, shall comply with the provisions of the Environment (Protection) Act, 1986; and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority i.e. Member Secretary, MPCB.
3. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
4. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste Categories and quantities listed here in below:

Category	Type of Waste	Type of Bag or Container to be used	Quantity Kg/Month	Treatment and Disposal options
1	2	3	4	5
Yellow	(a) Human Anatomical Waste: Human tissues, organs, body parts and fetus below the viability period (as per the Medical Termination of Pregnancy Act 1971, amended from time to time).	Yellow coloured non-chlorinated plastic bags	30	ON-SITE INCINERATION

(Signature)
 27/5/22



MPCB-BMW_AUTH-0000043256

PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203



District Treas. Office
 MAHARASHTRA 3996 2021 000 रु 39/05/2022 ZS 32212
 9 MAY 2022
 STAMP HEAD CLEAR


श्री. राजेंद्र रा. सामना
 श्री. वसंतराव राधिक को मज आठ
 ए.सी.टोब
 शासकिय पुरांक विक्रेत
 परवाना क्र. 360101.
 सहसिल कार्यालय, जाल
 दिनांक, 39/05/2022

Memorandum of Understanding

This Memorandum of Understanding is made on this 10.06.2022.

Between

Vasantrao Naik Shikshan Prasarak Mandal's (Reg.No: MAH/9/85 Jalna)
 Vasantrao Naik Institute of Nursing,
 Behind Nutan Vidhyalaya Campus, Near Tehsil Office,
 Old Jalna, Jalna (Dist) - 431 213.



Hereafter called as Party No: 1 executed this agreement through its President Shri. Rajendra Rausaheb Rakh, 57 Years residing at Vrundawan Colony, Old Jalna, Jalna (Dist).

And

Navjeevan Multispeciality Hospital
 Ambad Rd, Guru Ganesn Nagar, Khàrat Nagar, Old Jalna,
 Jalna (Dist)

PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203


Hereafter called as Party No: 1 executed this agreement through its President Dr. Ashish

Rathod, residing at Jalna, Jalna.



Whereas the Shri. Rajendra-Raosaheb Rakh is presently engaged in A.N.M; G.N.M, and Nursing education at Behind Nutan Vidhyalaya Campus, Near Old Tehsil Office, Old The Vasantirao Naik Shikshan Prasarak Mandal's thought of establishing Nursing Colleges of Vasantirao Naik Institute of P.B.B.Sc., Nursing College.

The Party No:2 is engaged in the line of prestigious and quality oriented hospital activities in the city of Jalna and around and provide its various medical facilities to the public and having 75 bedded hospital at Jalna. It is 2.0 kms from the proposed college.



NOW THEREFORE BOTH the parties 1 and 2 agree for:

1. THAT Party No: 1 is applying for Post Basic B.Sc., Nursing under affiliation of Maharashtra University of Health Sciences, Nashik.

2. THAT Party No: 1 has requested to Party No: 2 for providing their hospital for clinical experience and practical training of Nursing Students.

3. THAT Party No: 2 is having 75 bedded hospital with more than 95% Occupancy.

4. THAT Party No: 2 has agreed to provide the facilities for a period of 5 Years w.e.f 10/06/2022 onwards which can be renewed after mutual agreement.

5. THAT Party No; 1 and 2 both has agreed mutually for financial implications/complications/ disputes arising if any between the period of agreement in that case, Maharashtra University of Health Sciences, Nashik shall not responsible in any case to conquer the same

Date: 10/06/2022

Place: Jalna

Party No: 1

Signature

Shri. Rajendra Raosaheb Rakh
Vrundawan Colony,
Old, Jalna, Jalna (Dist).

Party No: 2

Signature

Dr. Ahsish Rathod
Ambad Rd, Guru Ganesh Nagar,
Old Jalna, Jalna (Dist).

ATTESTED BEFORE ME

D.S. Bhandarge
DILIP. S. BHANDARGE
B.SC., LLB, LLM
ADVOCATE & NOTARY
DIST. JALNA REG. NO. 7122
GOVERNMENT OF INDIA
HILLA GALLI CORNER, COURT ROAD, JALNA

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203.



सामान्य रुग्णालय जालना.
CIVIL HOSPITAL JALNA

१९४९ च्या दि. बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्टच्या कलम ५ अन्वये
दिलेले रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration Under Section 6 of the Bombay Nursing Homes
Registration Act, 1949 (विषय ५ कलमे) (Under Rule 5)

क्रमांक (No) 421

दि. बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ अन्वये श्री/श्रीमती/डॉ. प्रितेश जयप्रकाश

भक्कड नवजीवन मल्टीस्पेशलिटी हॉस्पिटल व
रिसर्च सेंटर सतकर कॉम्प्लेक्स जवळ, अंबड रोड यांचे
जालना येथील नर्सिंग होम/मॅटर्निटी होम रजिस्ट्रर केले असून

सदरचे नर्सिंग होम व मॅटर्निटी हेम चालविण्यात परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati/Dr. Pritesh Jayprakash Bhakkad
Nayabwan Multispeciality Hospital has been registered under the
and Research Center
Bombay Nursing Homes Registration Act, 1949 in respect of Satkar Complex
Situating at Near, Ambad Road, Jalna

and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. 421/CHJ/2020 प्रसूतीसाठी 05 कोट्स

Registration No. _____ Maternity _____ Cots

रजिस्ट्रेशन दि. 1/03/2020 इतर लुगणांसाठी 40 कोट्स

Registration Date. _____ Other _____ Cots

ठिकाण Place Jalna

सर्टिफिकेट दिवसाचा दिनांक 03/05/2024

सदरचे सर्टिफिकेट दिनांक ३१ मार्च 2027 पर्यंत कार्यवाहीत राहिले.

This certificate shall be valid upto 31st March 2027

Dr. Rajendra S. Patil
Chief Civil Surgeon
General Hospital Jalna

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: <http://mpcb.gov.in>
Email:
raurangabad@mpcb.gov.in



Paryavaran Bhavan, A - 4/1,
MIDC Area , Chikalthana,
Near Seth Nandlal Dhoot
Hospital, Jalna Road ,
Aurangabad - 431 210

ORANGE/S.S.I

Date: 09/10/2023

No:- Format1.0/RO/UAN No.0000168362/CO/2310000586

To,
Navjeevan Multispeciality Hospital And research Center
Jalna, Tal & Dist Jalna,
-431203
Email:navjeevan.mhrc@gmail.com
Contact No.:9325595969



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000168362& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 14/04/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **06-02-2023** To **30-06-2025**

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

2. The capital investment of the HCF is ₹126.52 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 400.00 M² with Built-up area 350.00 M².
4. **Activities Included**
- a. Total Number of Beds : **45 Nos.** (As per BNH certificate no. 421CHJ2020 valid upto 31-03-2024)

- I. General Beds : **25 Nos**
- II. Other Beds : **20 Nos**

5. **Conditions under the Water (P&CP) Act, 1974:-**

- Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

- You shall use the fuel for DG set as specified in the **Annexure-II**.
- You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**


You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. **Conditions under Solid Waste Management rules 2016**

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**


PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Atul Environment Services Jalna, Jalana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.



[Handwritten signature]

0698bc967
ca16b383
961d87d4
417740a5d
e93a9bc2
ebf7b51c
0c165218
67772de54

Signed by: **Sujit Subhas Dholam**
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
rou@mgpcb.gov.in
2023-10-09 16:05:39 IST

Received Consent/Authorization fee of -

Sl. No.	Amount (Rs.)	Transaction/DR. No.	Date	Transaction Type
1	15000.00	TXN2304001977	14/04/2023	Online Payment
2	15000.00	TXN2310001038	06/10/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Jalna
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.


PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise-level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	4.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	2.00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
3	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
		b) Metallic body implants	0.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Atul Environment Services Jalna, Jalana** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	10,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
2 Performance			
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,25,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.


PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



मंगळीर, MAHARASHTRA 2860 2021 १०० दि १९/०५/२०२२ ZS. 48646
 १०.२ MAY 2022 एम. रजेंद्रराव वसंतराव दिवराळे वा सामाजिक
 कामा. वसंतराव वसिक कॉलेज एस.जी.टी.बी
 स्टाम्प हेड क्लर्क ऑफ वसंतराव सामाजिक
 शासकिय मुद्रांक विक्रेता
 परवाना क्र. 3601012
 तहसिल कार्यालय, जाला
 दिनांक : १९/०५/२०

Memorandum of Understanding

This Memorandum of Understanding is made on this 19.05.2022


Between

Vasantrao Naik Shikshan Prasarak Mandal's (Reg.No: MAH/9/85 Jalna)
 Vasantrao Naik Institute of Nursing,
 Behind Nutan Vidhyalaya Campus, Near Tehsil Office,
 Old Jalna, Jalna (Dist) – 431 213.

Hereafter called as Party No: 1 executed this agreement through its President Shri. Rajendra
 Raoasheh Rakh, 57 Years residing at Vrundawan Colony, Old Jalna, Jalna (Dist).

And

Manas Hospital (Mental Health)
 New Jalna,
 Jalna (Dist)



PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 PRINCIPAL
 VASANTRAO NAIK INSTITUTE OF NURSING
 JALNA-431 203

Hereafter called as Party No: 1 executed this agreement through its President Dr. Prakash Ambekar, residing at Jalna, Jalna.

Whereas the Shri. Rajendra Raosaheb Rakh is presently engaged in A.N.M, G.N.M, and Basic B.Sc. Nursing education at Behind Nutan Vidhyalaya Campus, Near Old Tehsil Office Old Jalna, Jalna (Dist). The Vasantao Naik Shikshan Prasarak Mandal's thought of establishing Nursing Colleges of Vasantao Naik Institute of P.B.B.Sc., Nursing College.

The Party No:2 is engaged in the line of prestigious and quality oriented hospital activities in the city of Jalna and around and provide its various medical facilities to the public and having 50 bedded hospital at Jalna. It is 8.5 kms from the proposed college.

NOW THEREFORE BOTH the parties 1 and 2 agree for:

1. THAT Party No: 1 is applying for Post Basic B.Sc., Nursing under affiliation of Maharashtra University of Health Sciences, Nashik.
2. THAT Party No: 1 has requested to Party No: 2 for providing their hospital for clinical experience and practical training of Nursing Students.
3. THAT Party No: 2 is having 50 bedded hospital with more than 95% Occupancy.
4. THAT Party No: 2 has agreed to provide the facilities for a period of 5 Years w.e.f 19/05/2022 onwards which can be renewed after mutual agreement.
5. THAT Party No: 1 and 2 both has agreed mutually for financial implications/complications/ disputes arising if any between the period of agreement in that case, Maharashtra University of Health Sciences, Nashik shall not responsible in any case to conquer the same

Date: 19/05/2022

Place: Jalna

Party No: 1

Signature *Raoh*

Shri. Rajendra Raosaheb Rakh
Town Hall Road,
Old Jalna, Jalna (Dist).

Party No: 2

Signature *Ambekar*

Dr. Prakash Ambekar
M.B.B.S.MD (Psychiatry)
Manas Hospital, Jalna

ATTESTED BEFORE ME

Dilip S. Bhandarge

DILIP. S. BHANDARGE
B.SC., L.L.B., LL.M
ADVOCATE & NOTARY
DIST. JALNA REG. NO. 7122
GOVERNMENT OF INDIA

PRINCIPAL
VASANTAO NAIK INSTITUTE OF NURSING
JALNA-431 203

PRINCIPAL
VASANTAO NAIK INSTITUTE OF NURSING
JALNA-431 203.

543



**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY
(MSMHA)**

Form-F

[See rule 66]

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11) or section (17) as per the details given hereunder:

Name:- Dr. Prakash Ashokrao Ambekar

Address:- Manas Hospital, Near Royal International School, Near Zindal Orchid Society, Navha Chowk, Jalna, Tal & Dist. Jalna

No of beds:- 10

Permanent Registration Certificate No.75/2023

The Permanent registration certificate No. 75/2023 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 25/12/2023

**Dr. Swapna Lata
Chief Executive Officer
State Mental Health
Authority, Mumbai
Seal of the Registration Authority**

**Registration Authority
MSMHA:**

**PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203**

Section 8
Sec Rule 16



48-A
Annexure II

New Licence For Establishment Of Psychiatric Hospital / Nursing Home

I, Dr. SATISH PAWAR..... Director of Health Services, Maharashtra State Mumbai by the authority vested in by the State Mental Health Authority vide Government Notification PHD No. MIS-1088/CR-188/PH-3 Dt. 29th March 1995 under section 8 of Mental Health Act 1987 hereby declare that I am satisfied after inspection of MANAS HOSPITAL, JALNA.....

I hereby grant *new license* to Psychiatric Hospital/Nursing Home by Dr. PRAKASH AMBekar.....
At. MANTHA CHAUWALI, OPP. SANTKRUPA HOSPITAL,
JALNA Tel No. 9766380098.....
From 10/12/2016..... till 9/12/2027.....
License No. 174/16.....



SEAL

Place: MUMBAI
Date: 20/2/2017

[Signature]
Licensing Authority
Government of Maharashtra

[Signature]
PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203
PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

ATUL ENVIRONMENT SERVICES

GUT NO. 240, DAWALWADI, TQ. BADNAPUR, DIST. JALNA
Dawalwadi - 431202
Phone No:9423149670
Email Id:atulenvironmentsservices1@gmail.com



Unlque Registration No.: JLHP0055



Provisional Registration Certificate



Outward No.: AES/25-28/000030

Date: 10-Apr-2025

This is to certify that **MANAS HOSPITAL, NEAR ROYAL INTERNATIONAL SCHOOL, NEAR ZINDAL ORCHID SOCIETY, NAVHA CHOWK, JALNA, TQ. & DIST. JALNA-431203** is registered with **ATUL ENVIRONMENT SERVICES, Dawalwadi** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE
(Name and Designation)

DR. PRAKASH AMBEKAR
DOCTOR

2. Bombay Nursing Home Act Registration Details
a. BNH Registration Number
b. BNH Issue Date
c. Total Number of Beds
d. BNH Validity(Form 'C')

3. Common Treatment Facility Registration Details
a. Date of Registration
b. No. of Beds Registered
c. Registration Validity

18-Oct-2015
10
09-Apr-2026

4. Renewal of CTF Membership(if applicable)
a. Renewal Date
b. No. of Beds Registered

09-Apr-2026
10

5. MPCB Consent (Establish/ 1st Operate/Renewal) Details
a. Consent/ CCA Number
b. Issue Date
c. Validity up to



For ATUL ENVIRONMENT SERVICES

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

आरोग्य सेवा

जा.क्र./जानप/आरोग्य/
कार्यालय शेलगाव RPH, जालना.
दिनांक:

प्रति,

अध्यक्ष,


वसंतराव नाईक शिक्षण प्रसारक मंडळ,
(दिपक हॉस्पिटल) जालना.

विषय: आपले विद्यालयातील ANM, GNM, BSc., Nursing, PB BSc. Nursing कोर्सचे
विद्यार्थी यांना प्राथमिक आरोग्य केंद्र मध्ये अनुभवासाठी पाठविणे बाबत.

संदर्भ: Ref.No:VNSPMJ/ION/SHELG/1886/2026 Date: 13/01/2026

महोदय,

उपरोक्त विषयी व संदर्भीय पत्रकानुसार कळविण्यात येते की, आपले ANM, GNM, BSc.,
Nursing, PB BSc. Nursing कोर्स विद्यालयातील विद्यार्थी यांना प्रात्यक्षिकासाठी आरोग्य केंद्र शेलगाव
(RPH) येथे समान संख्यामध्ये पाठविण्यात यावे. जेणे करून त्यांना प्राथमिक आरोग्य केंद्राचा प्रात्यक्षिक
अनुभव घेणे सुलभ होईल.


मेडिकल ऑफिसर 25/1/26
RPH शेलगाव, जालना
वैयक्तिक अधिकारी
प्रा.आ.केंद्र शेलगाव
ता.बदनापूर, जि.जालना


PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203



V.N.S.P. Mandal's, Jalna

VASANTRAO NAIK INSTITUTE OF NURSING

Dr. E. KODEESWARA PRASAD
(Ph.D., Nursing; M.A. Sociology)
Principal

Ref.No:VNSPMJ/ION/SHEL/G/1886/2026

Date: 13/01/2026

To,

The Medical Officer,
Primary Health Centre,
Shelgaon, Jalna 431 203.

Subject: Requisition for Granting Permission of Rural Health Nursing Posting
(Shelgaon)- Regards.

Respected Sir/Madam,

As mentioned in above subject, we require permission from you for student of Vasant Rao Naik College of Nursing studying in (ANM, GNM & B.Sc., Nursing, PB BSc., Nursing), we request you to kindly allow us to post our students at Rural Health (Shelgaon) for the A.Y. of 2026-27.

Received
Gopal
20/1/26
वैद्यकीय अधिकारी
प्रा.आ.केंद्र शेल्गाव
ता. बदनापूर, जि. जालना



PRINCIPAL
VASANTRAO NAIK INSTITUTE
JALNA-431 203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

Office : Behind Nutan Vidyalaya Campus, Old Jalna, Tq. Dist. JALNA - 431 213. (MS)
E-mail : vnsprmj_ion@rediffmail.com | Mob. & Ph.: 7588900088, 02482-221577
Website : www.vasantnaikcollegeofnursingjalna.in

आरोग्य सेवा

जा.क्र./जानप/आरोग्य/
कार्यालय महानगर पालिका, जालना.
दिनांक: 17/2/2026

प्रति,

अध्यक्ष,

वसंतराव नाईक शिक्षण प्रसारक मंडळ,

(दिपक हॉस्पिटल) जालना.

विषय: आपले विद्यालयातील ANM, GNM, BSc., Nursing, PB BSc. Nursing कोर्सचे विद्यार्थी यांना प्राथमिक आरोग्य केंद्र मध्ये अनुभवासाठी पाठविणे बाबत.

संदर्भ: Ref.No:VNSPMJ/ION/NAGARPAR/1885/2026 Date: 17/02/2026

महोदय,

उपरोक्त विषयी व संदर्भीय पत्रकानुसार कळविण्यात येते की, आपले ANM, GNM, BSc., Nursing, PB BSc. Nursing कोर्स विद्यालयातील विद्यार्थी यांना प्रात्यक्षिकासाठी आरोग्य केंद्र पाणीत्रिस व आरोग्य केंद्र, रामनगर (आझाद मैदान) शैक्षणिक वर्ष २०२६-२७ येथे समान संख्यामध्ये पाठविण्यात यावे. जेणे करून त्यांना प्राथमिक आरोग्य केंद्राचा प्रात्यक्षिक अनुभव घेणे सुलभ होईल.


पैदाकीय अधिकारी
आरोग्य केंद्र, नगर परिषद, जालना
मेडिकल ऑफिसर
महानगर पालिका, जालना.


PRINCIPAL
VASANTRAO MAIK INSTITUTE OF NURSING
JALNA-431 203



V.N.S.P. Mandal's, Jalna

VASANTRAO NAIK INSTITUTE OF NURSING

Ref.No:VNSPMJ/ION/NAGARPAR/1885/2026

Date: 17/02/2026

To,

The Medical Officer,

Jalna 431 203.

Subject: Requisition for Granting Permission of Urban Health Nursing Posting (Panives) - Regards.

Respected Sir/Madam,

As mentioned in above subject, We require permission from you for student of Vasanttrao Naik College of Nursing studying in (ANM, GNM & B.Sc., Nursing, PB BSc., Nursing), we request you to kindly allow us to post our students at Urban Health (Panives) for the A.Y. of 2026-27.

उपरोक्त पत्राविवेक माहिती रामगठार

पैद्यकीय अधिकारी
बाह्यकेंद्र, नगर पंचायत, जालना



PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203

PRINCIPAL
VASANTRAO NAIK INSTITUTE OF NURSING
JALNA-431 203